



扫码，让您的设备一键启动  
让您的员工操作更简单更快捷

扫码即可订购您需要的任何产品  
扫码，更轻松

扫一扫，更轻松



地址：江苏扬州市方巷工业园 邮编：225117  
电话：+86-514-87387009 87381019 87381188  
传真：+86-514-87383456  
网址：www.qunye.com.cn  
邮箱：qunye@qunye.com qunye@qunye.com.cn

Add: Fangxialing Industrial Zone, Yangzhou, Jiangsu, China  
Tel: +86-514-87387009 87381019 87381188  
Fax: +86 514-87383456 P.C.: 225117  
http: //www.qunye.com.cn  
E-mail: qunye@qunye.com qunye@qunye.com.cn



**REEL EXPERT**  
**COMPARABLE**  
**TRUSTABLE**

目

CONT

- 公司介绍 / Br
- 销售网络 / Sa
- 组织架构 / H
- 双层高速线盘
- 平板高速线盘
- PN冲压机盘
- PN冲压机盘
- 工字轮 / M
- 加成型工字轮
- 加成型机用线
- 互锁线盘 / C
- 互锁加强型线
- 互锁交指盘 /
- 渐分线盘 / C
- 去气线盘 / D
- 喷火线盘 / B
- 扇打线盘 / Fo
- 塑料线盘 / P
- 打包用线盘 /
- 吊具翻转机 /
- 线架 / Cole
- PC/PL ——
- 其他产品 / O
- 战略合作 / La

## Introduction 公司简介



江苏群业电气有限公司创立于1989年，是专业研发和制造电线电缆的企业。

公司座落于风景优美的古城扬州，占地面积50000多平米，建筑面积35000平米，具有现代化工业厂房、办公大楼，并配有先进的机械化加工设备和完善的质量检测设备。

公司于1993年通过ISO9001:2000质量体系认证；“群业”荣获江苏省名牌产品称号；同时标准化水平和计量水平的确认也为用户提供了全方位的技术支持和服务。

我们是研发和制造电线电缆机用线盘、平板铁轴、拉丝工字轮、交卷线盘、各式塑料线盘的专业厂家，可按DIN46395、DIN46397、GB4004-83、JB/T8997标准生产并可按客户的需求设计研发各类非标产品。公司线盘广泛用于超高压、中低压、交联、电力电缆、光纤光缆、数据通信电缆、铜铝线、铜铝线、塑管纺织等领域。产品远销欧美、澳洲、东南亚、中东等国家，深受客户好评。

“追求卓越，打造精品，服务客户”，引领国内模具制造业跻身于国际线盘生产的先进行列。

欢迎新老客户莅临指导

Jiangsu Qunye Electrical Co., Ltd. Established specialized apocob manufacture and become leader for quality and service in few years.

We locate in Yangzhou City who has long of wonderful sceneries. We currently have 50,000m<sup>2</sup> with total land area of 50,000m<sup>2</sup>, built in area. Our high standard workshope and office equipment lines and complete inspect facilities management and quality control philosophy customer's requirements.

In 1993, we passed ISO9001:2000 Certification. "QUNYE" awarded the title of Famous Brand Province. At the meantime the standard metrology confirmation provides our user with

# Sales Network 销售网络

全球销售情况表  
Global sales table



DOMESTIC TRADE 国内  
ASIA, EUROPE, AMERICAS 亚洲、欧洲、美洲  
OTHER REGIONS 其他地区





# Double Layer High Speed Bobbin 双层高速线盘

PND 315-1250

本产品按客户要求按GB4004-83,JB/T8997.4-1999, DIN46395/DIN46397标准生产。

动平衡速度25m/s-50m/s。


适用于电缆、铜丝和非铜丝线、捻线、绞线、束线等设备使用。

Pressed steel flanges. Dimension either according to customer's specifications or GB4004-83,JB/T8997.4-1999, DIN46395/DIN46397 standard.

Dynamically balanced for speed from 25m/s to 50m/s.

For cable, ferrous and non-ferrous wire.

For drawing, stranding and bunching machines.



A3

B3

C3

D3



规格	d1	d2	d3	d4	f1	f2	d5	e	r1	r2
315	180	158	125/127	238	200					
	200						16	183	35	30
	225									
355	180	158	125/127	265	224					
	200									
	225									
480	200	158	125/127	300	250					
	225									
	250									
450	180	158	125/127	330	280					
	200						28	183	35	30
	225									
580	200	158	125/127	375	315					
	225									
	250									
680	200	158	125/127	425	355					
	225									
	250									



# Flat High Speed Bobbin 平板高速线盘

PHD 100-635



本产品符合国家标准GB4304-83 JB/T8997.4-2004  
DIN46395/DIN46397标准生产。  
最高转速25m/s—50m/s。  
适用于电线、铜线和铜扁线、铝线、铝扁线、漆包线等线材使用。

Steel bobbin with massive flanges  
barrel. Face and feet. Dimension  
either according to customer's specifications or  
GB4304-83 JB/T8997.4-1999, DIN46395/DIN46397 standard.  
Dynamically balanced for speed from 25m/s to 50m/s.  
Forcible, ferrule and non ferrule wire.  
For drawing, stranding and bunching machines.



Specification 规格	d1	d2
Type 型号		
200	200	112
250	250	157
300	300	217
315	315	217
355	355	217
400	400	195
		217
500	500	217
		250
630	630	315
800	800	399

## Punching Bobbin 冲压线盘

PN 200-1250


本产品采用钢板冲压成型，按客户要求按GB4004-83，JB/T8997.4-1999，DIN46395标准生产。  
适用于电缆、钢丝绳、铜导线、铜板、铝线等周转或立转用。

Pressed steel bobbin.

Dimension either according to customer's specifications or GB4004-83, JB/T8997.4-1999, DIN46395 standard.

For cable, steel wire, steel rope, copper, aluminium and welding wire.

Process: one-way or shipping bobbin.



尺寸 mm	d1	d2	d3	d4	d5	e	L1	L2
200	200	80					150	125
		100					125	100
250	250	100		38	8-16	40 (50)	190	160
		125					150	125
315	315	125					236	200
		160					190	160
355	355	140	75/112	66	14-32	71	265	224
		180					215	180
		160					300	250
400	400	160					300	250
		200					236	200




# Punching Bobbin 冲压线盘

PND.315-1250



本产品采用钢板冲压成型，适用于电话、铜导线、铜空线。  
Pressed steel bobbin  
Dimension either according  
DIN46395 standard.  
For cable, steel wire, steel  
Process - one-way or ship



Type 规格	Specification 规格	d1
315	315	315
355	355	355
400	400	400
450	450	450
500	500	500
550	550	550
630	630	630
710	710	710
800	800	800

# Metal Flange Process Bobbin 工字轮

本产品采用钢板冲压成型，按客户要求达GB4004-83、JB/T8957.4-1999、DIN46200标准生产，适用于电缆、铜丝绳、铜索线、铜线、铝线等用特式交变用。  
 Pressed steel bobbin.  
 Designed after according to customer's specifications or GB4004-83, JB/T8957.4-1999, DIN46200 standard.  
 For cable, steel wire, steel rope, copper, aluminum and welding wire etc. Process ... one-way or strapping bobbin.



## Enhanced Metal Flange Process Bobbin 加强工字轮

本产品采用模冲压制成型，符合标准要求Q84004-83、JB/T3097.4-1999、DIN46395标准生产，适用于电缆、铜铝线、铜铝线、铜线、铝线等规格成盘使用。

Pressed steel bobbin.

Dimension either according to customer's specifications or Q84004-83, JB/T3097.4-1999.

DIN46395 standard.

For cable, steel wire, steel rope, copper, aluminum and welding wire ect.

Process: one-way or shipping bobbin.



# Enhanced Type Machine Bobbin 加强型机用线盘

PN 800-5000

本产品按客户要求制造DB4004-83, JB/T8937.4-1999, DIN46235标准生产, 适用于四、中电压, 交联、挤塑、浇注、成缆、制缆等设备使用。

Dimension either according to customer's specifications or DB4004-83 JB/T8937.4-1999, DIN46235 standard.

For high voltage, middle and low voltage, XLPE, standing, extrusion, casting and weaving equipments.




Bobbin Size	d1	d2	d3
800	800	400	112
800	800	450	
1000	1000	500	
1150	1150	560	
1250	1250	630	
1400	1400	710	
1600	1600	800	133
1800	1800	1000	
2000	2000	1120	
2240	2240	1250	
2500	2500	1500	158
2800	2800	1800	
3160	3160	1900	203

# Corrugated Bobbin 瓦楞线盘

FN 805-5000

本产品适用于电缆、光缆等，按客户要求或GB4004-83、JB/T8997.4-1999、DIN46395标准生产，生产周转使用。

Bobbin for cable, rope and strand. Dimension either according to standard customer's specifications or GB4004-83, JB/T8997.4-1999, DIN46395 Process bobbin.



规格	mm	φ1	φ2	φ3	φ4	φ5	φ	L1	L2	重量 kg/个
800	800	408	108					880	800	188.5
900	900	454						970	840	267.2
1000	1000	500						1060	880	371.1
1100	1100	546	168	80	80	160		1150	920	524.9
1200	1200	592						1240	960	732.4
1400	1400	718	200	87	86	300		1580	1000	1329.5
1600	1600	844	240	80				1780	1080	1889.0
1800	1800	970	280	100				1920	1120	2678.4
2000	2000	1120						1900	1200	2995.0
2200	2200	1250	300	120	70-130	300		1700	1480	3790.1
2300	2300	1300						1900	1680	4028.0
2500	2500	1500	320	140				2120	1880	6305.1
3100	3100	1900	300	180		560		2300	2080	8015.0




# Reinforced Corrugated Bobbin 瓦楞加强型线盘

PN 800-5000

本产品适用于电缆、光缆等，其客户标准按GB4004-85,IEC1307,4-1990, DIN43996标准生产，生产周期快。

Bobbin for cable, optic fiber, etc. Dimensions either according to customer's specifications or GB4004-85, IEC1307, 4-1990, DIN43996 standard.

Process Bobbin



规格 Size	Φ1	Φ2	Φ3	Φ4	Φ5	Φ	孔 H
800	850	400	100				40
1000	1050	500					50
1200	1250	600	100	80	40	100	60
1500	1550	750					75
1800	1850	900	100	80			90
2000	2050	1100	100	100			110
2200	2240	1250	200	120	TS-150	300	120
2500	2540	1400					140
2800	2850	1600	200	140			160
3100	3150	1800	300	160			180

Corrugated Bobbin  
For Delivery  
瓦楞交货线盘

PN 800-5000

本产品适用于电缆、钢丝绳，按客户要求按GB4004-83、JB/T 8997.4-1999、DIN46391标准生产，一次性交货使用。

Bobbin for cable, rope and strand.  
Dimension either according to customer's specifications or GB4004-83, JB/T 8997.4-1999, DIN46391 standard.  
One way or shipping bobbin.



规格	d1	d2	d4	d5	e	L1	L2
1250	1250	600	80		300	900	710
1400	1400	710				1125	900
1600	1600	800				1380	1120
1800	1800	1000			1450	1380	1120
2000	2000	1050				1450	1220
2240	2240	1120	125	40	400	1800	1380
		1450	140	600		2000	1400
2500	2500	1400				2000	1400
2800	2800	1600					
3000	3000	1800					
		2000					

Collapsible Bobbin

拆分线盘





Degassing Drum

去气线盘



Bobbin For Annealing  
退火线盘



Forged Bobbin  
锻打线盘





# Plastic Bobbin 塑料机用线盘

PN 310-800

本产品采用进口高强度301ABS工程塑料制成。  
适用于高速绞线机、光纤光缆、数据通信机用。

301ABS engineering plastic.  
For high speed stranding, fiber, optical  
cable, communication cables...



型号 Type	规格 Dimension				L2 高度
	D1 轴径	S 轴长度	D2 轴径	D3 轴径	
塑料 箱体 Plastic Frame	355	355	19	190	180, 200, 210
	400	400	18	200	120, 150, 200, 260, 280
	450	450	20	200	180, 230, 230
	500	500	20	200	230, 310
	550	550	20	200	230, 370, 380, 510
铁架体 Steel Frame	600C	600	21.5	200	200, 270, 290, 510
	800	800	20	200	230, 310, 400
	850	850	19	430	430, 500
	1000	1000	20	500	830

Packing Bobbin

打包用线盘


采用螺栓连接，拆装方便可调节，  
方便起吊运输。

Take-apart bobbin with bolts.  
With removable parts coils of different width.  
Easy for lifting and transport.



Tilting Units &  
Coil Lifter

吊具



Coiler/Basket

线筒



## PC系列 PC Series

PC系列是我厂针对性开发的线盘，适用于铜线、铝线、镀锌线、合金线、超微细线、细丝线、焊丝等拉余金属线的缠绕及包装器具。

The PC series are the reels we specially developed in the recent period. They are fit for the rotation of metallic wires like copper wires, thinned wires, silver-plated wires, alloyed wires, super fine wires, lanthanum niobium wires, stainless steel wires and welding wires and can serve as the reels for packing.

PL系列是我厂根据市场需求而推出的产品，用于电线电缆、数据电缆、同轴电缆、光纤电缆。

The PL series are the items we offer according to the market demand. These items are widely applied in the packing of data cables, coaxial cables, optical fiber cables.

规格 Type	型号 Model Number	构造 Structure	材质 Material	侧板厚 (d1)	侧板宽 (S)	卷径 (d2)	内宽 (L2)	全长 (L1)	孔径 (d3)
PC100A		一体式	ABS/PS	100	10	50	70	80	20
PC100B		一体式	ABS/PS	100	10	55	100	120	20
PC125		一体式	ABS/PS	125	10	63	100	120	20
PC130(P-2)		一体式	ABS/PS	130	10	60	90	110	20
PC150		一体式	ABS/PS	150	10	70	90	110	20
PC160A		一体式	ABS/PS	160	15	100	130	160	22
P-6R		一体式	ABS/PS	160	12	90	90	114	20
PC160B		一体式	ABS/PS	160	10	65	100	120	20
PC185		一体式	ABS/PS	185	10	130	160	180	30
PC200A		一体式	ABS/PS	200	12	90	110	134	22
PC200B(P-10)		一体式	ABS/PS	200	20	125	160	200	25
PC230		一体式	ABS/PS	230	2.5	210	93	102	16/25
PC250A		一体式	ABS/PS	250	20	160	160	200	38
PC250B		一体式	ABS/PS	250	20	160	180	200	127
PC270		一体式	ABS/PS	270	7	147	90	104	52
PC300A(P-30)		一体式	ABS/PS	300	15	130	130	160	30
PC300B		组合(A)	ABS/PS	300	12	160	160-250	155-275	40
PC350		一体式	ABS/PS	350	20	220	160	200	30
PC500		组合(A)	ABS/PS	500	35	315	180	250	40/50

规格 Type	型号 Model Number	构造 Structure	材质 Material	侧板厚 (d1)
PL100		一体式	ABS/PPE/PP	100
PL125		一体式	ABS/PPE/PP	125
PL130(P-2)		一体式	ABS/PPE/PP	130
PL150(P-2)		一体式	ABS/PPE/PP	150
PL160		一体式	ABS/PPE/PP	160
PL200A(P-10)		一体式	ABS/PPE/PP	200
PL200B		组合(A)	ABS/PPE/PP	200
PL200C		一体式	ABS/PPE/PP	200
PL250		一体式	ABS/PPE/PP	250
PL270		一体式	ABS/PPE/PP	270
PL300A		组合(A)	ABS/PPE/PP	300
PL300B		组合(A)	ABS/PPE/PP	300
PL300C(P-30)		一体式	ABS/PPE/PP	300
PL345		一体式	ABS/PPE/PP	345
PL300		组合(A)	ABS/PPE/PP	300
PL400		组合(A)	ABS/PPE/PP	400
PL450		组合(A)	ABS/PPE/PP	450
PL500		组合(A)	ABS/PPE/PP	500

① (A) Assembly Type  
(c) Massive Structure

Other Products

## 其它产品 1

更多类型的产品正在不断出现  
本案所见证了我们的过去的成绩，也说明我们的实力与态度。

More types of reels were manufactured constantly.  
These reels show our ability and attitude.





Other Products

其它产品 2



Cooperating  
with you

期待合作



我们期待  
We look

知识和经验，用  
命运，创造公司和  
伙伴式的合作关  
——这是我们的

Knowledge and  
modern technol  
who decide the

We believe—C  
translated into

